Available online at www.sciencedirect.com
SCIENCE DIRECT
ELSEVIER
Journal of Organometallic Chemistry 684 (2003) 389–391
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Contents of Volume 684

Special Issue: Metal-Carbon Multiple Bonds and Related Organometallics Dedicated to Professor E.O. Fischer on his 85th Birthday

Foreword

Mediator between chemical worlds, aesthete of sciences, and man of Bavaria: Ernst Otto Fischer
W.A. Herrmann 1

Regular Papers

Enantioselective catalysis: Part 147. A Rh(cod) complex with the chiral $[Pt_2S_2\{(-)diop\}_2]$ ligand
H. Brunner, M. Weber, M. Zabel 6

Synthesis, protonation, and electrophilic reactions of $Tp'(CO)_2WCOMe$, a tungsten methoxycarbyne complex
K.C. Stone, P.S. White, J.L. Templeton 13

Direct preparation of benzylic manganese reagents from benzyl halides, sulfonates, and phosphates and their reactions: applications in organic synthesis
Y.S. Suh, J.-s. Lee, S.-H. Kim, R.D. Rieke 20

CN coupling between μ-aminocarbyne and nitrile ligands promoted by tolylacetylide addition to $[Fe_2\{\mu\text{-}CN(Me)(Xyl)\}(\mu\text{-}CO)(CO)(NCCMe_3)(Cp)_2][SO_3CF_3]$: Formation of a novel bridging $\eta^1{:}\eta^2$ allene-diaminocarbene ligand
V.G. Albano, S. Bordoni, L. Busetto, F. Marchetti, M. Monari, V. Zanotti 37

Synthesis, X-ray structure and characterization of a novel $[fc(IMH)_2H]^+[Co(hfac)_3]^-$ salt with hydrogen bonded ferrocenyl bis(imino hydroxylamino) building blocks
C. Sporer, K. Wurst, D. Ruiz-Molina, H. Kopacka, J. Veciana, P. Jaitner 44

A convenient and efficient procedure for the palladium-catalyzed cyanation of aryl halides using trimethylsilylcyanide
M. Sundermeier, S. Mutyala, A. Zapf, A. Spannenberg, M. Beller 50

Molybdenum alkylidyne complexes that contain a 3,3′-di-*t*-butyl-5,5′,6,6′-tetramethyl-1,1′-biphenyl-2,2′-diolate ($[Biphen]^{2-}$) ligand
R.R. Schrock, J.Y. Jamieson, J.P. Araujo, P.J. Bonitatebus Jr., A. Sinha, L.P.H. Lopez 56

New coupling reactions for the construction of carbon-rich C_7 bridged di-ruthenium complexes
S. Rigaut, D. Touchard, P.H. Dixneuf 68

Electrochemically generated catalyst system with increased specificity and efficiency for olefin metathesis
B. Düz, K. Pekmez, Y. Imamoğlu, Ş. Süzer, A. Yıldız 77

Vibrational spectroscopic data of metallocarbyne complexes
N.Q. Dao 82

CH-Aktivierungsreaktionen an substituierten Zirconocenkomplexen und deren Verwendung in der katalytischen Ethylenpolymerisation
A.I. Licht, H.G. Alt 91

Reaction of alkoxycarbene complexes of tungsten with 1,2-dihydroquinoline: single vs. double hydride transfers to the carbene–carbon: synthesis, X-ray structure and reactivity of a quinolinium ylide complex of tungsten pentacarbonyl
H. Rudler, C. Alvarez, B. Denise, A. Parlier, J. Vaissermann 105

Optical properties of transition metal complexes with *N*-heterocyclic carbenes as ligands. 1,3-di-*t*-Butylimidazol-2-ylidene as charge transfer donor and acceptor
H. Kunkely, A. Vogler 113

Isolation and single-crystal X-ray structure analysis of the catalyst–substrate host–guest complexes $[C_6H_6 \subset H_3Ru_3\{C_6H_5(CH_2)_nOH\}(C_6Me_6)_2(O)]^+$ (n=2, 3)
L. Vieille-Petit, B. Therrien, G. Süss-Fink, T.R. Ward 117

Elsevier B.V.
doi:10.1016/S0022-328X(03)00969-0

Mechanism of copper(I)-catalyzed cyclopropanation: a DFT study calibrated with copper(I) alkene complexes
B.F. Straub, I. Gruber, F. Rominger, P. Hofmann 124

Synthesis and reactivity of dinuclear rhodium complexes with RhCCHR and RhCCCRR′ units as building blocks
B. Callejas-Gaspar, M. Laubender, H. Werner 144

Organotransition metal-modified sugars: Part 25. Spiro-*C*-glycosidation and C_2-homologization of carbohydrates via Fischer glycosylidene complexes: a strategy to novel organometallic disaccharides and a rare example of atropisomerism
W.-C. Haase, M. Nieger, K.H. Dötz 153

High diastereoselective Michael and aldol additions of Fischer-type alkyl(hydrazino)carbene complexes: synthesis of new hydrazides
E. Licandro, D. Perdicchia, S. Maiorana, C. Baldoli, C. Giannini, C. Graiff, A. Tiripicchio 170

A mixed palladium(0) palladium(II) bis-diphosphaferrocene complex
M. Melaimi, L. Ricard, F. Mathey, P. Le Floch 189

ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand
T.P. Spaniol, J. Okuda, M. Kitamura, T. Takahashi 194

C_s-symmetric hafnocene complexes for synthesis of syndiotactic polypropene
W. Kaminsky, A. Hopf, C. Piel 200

Structural features of bridged cyclopentadienyl-fluorenyl based metallocene catalyst: origin of syndiospecificity
A. Razavi, V. Bellia, Y. De Brauwer, K. Hortmann, L. Peters, S. Sirole, S. Van Belle, V. Marin, M. Lopez 206

Synthesis and reactivity of dinuclear iron–platinum, chromium–platinum, molybdenum–platinum and tungsten–platinum complexes with bridging carbonyl, isocyanide and aminocarbyne ligands. An empirical study on the parameters decisive for the bonding mode of the isocyanide ligand
M. Knorr, I. Jourdain, D. Lentz, S. Willemsen, C. Strohmann 216

Ferrocene-bridged Pd–NCN pincer complexes
S. Köcher, G.P.M. van Klink, G. van Koten, H. Lang 230

Metal complexes of acyclic diaminocarbenes: links between *N*-heterocyclic carbene (NHC)- and Fischer-carbene complexes
W.A. Herrmann, K. Öfele, D. v. Preysing, E. Herdtweck 235

Synthesis and reactivity of air-stable isolable anionic Group 6 molybdenum and tungsten carbene complexes with a metal-centred negative charge
F.J. Lalor, S.A. O'Neill 249

Improving methodology for the preparation of uracil derivatives from fischer carbene complexes. Microwave activation
A. Spinella, T. Caruso, U. Pastore, S. Ricart 266

Tetranuclear tungsten cyclooctatetraenyl alkoxides $[W_2COT(OR)_4]_2$, where R = Me, Et and Pr
M.H. Chisholm, J.C. Gallucci, C.B. Hollandsworth 269

Ligand properties of Cp*Ga: new examples of Mo–Ga and W–Ga complexes
M. Cokoja, T. Steinke, C. Gemel, T. Welzel, M. Winter, K. Merz, R.A. Fischer 277

Synthesis, structure, and liquid crystal properties of a series of platinum(II) complexes containing chiral 4-(4-alkoxyphenylethynyl) phenylisocyanide ligands
A. Mayr, S. Wang, K.-K. Cheung, M. Hong 287

Cationic carbonylmanganese complexes of the olefinic ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, $P(C_7H_7)_3$
M. Herberhold, A. Pfeifer, W. Milius 300

Catalysis of the Michael reaction by iron(III): calculations, mechanistic insights and experimental consequences
S. Pelzer, T. Kauf, C. van Wüllen, J. Christoffers 307

Allenylidene and derived alkynyl complexes of iron(II) with the $\{FeBr(Et_2PCH_2CH_2PEt_2)_2\}^+$ centre
A.I.F. Venâncio, L.M.D.R.S. Martins, A.J.L. Pombeiro 315

Molybdenum alkylidene complexes with linked cycloheptatrienyl–phosphane ligands for potential use in olefin metathesis
M. Tamm, B. Dreßel, T. Lügger 322

New supramolecular organotin(IV)/-copper(I) cyanides containing the unique $\{Cu^{I}_{2}(\mu\text{-}CN)_2\}$ building block
H. Hanika-Heidl, S.E.-d.H. Etaiw, M.S. Ibrahim, A.S.B. El-din, R.D. Fischer 329

$Cl_4(PhCN)W(NPh)$ as a single-source MOCVD precursor for deposition of tungsten nitride (WN_x) thin films
O.J. Bchir, K.M. Green, M.S. Hlad, T.J. Anderson, B.C. Brooks, C.B. Wilder, D.H. Powell, L. McElwee-White 338

The molecular structure of dicyclopentadienylzinc (zincocene) determined by gas electron diffraction and density functional theory calculations: η^5,η^5, η^3,η^3 or η^5,η^1 coordination of the ligand rings?
A. Haaland, S. Samdal, N.V. Tverdova, G.V. Girichev, N.I. Giricheva, S.A. Shlykov, O.G. Garkusha, B.V. Lokshin 351

Metal π complexes of benzene derivatives: Part 57. *p*-Phenylenediamine as a sandwich-complex ligand
C. Elschenbroich, M. Pietras, K. Harms 359

Mono- and binuclear 3-amino cyclobuten-2-one complexes of tungsten—facile migration of pentacarbonylmetal fragments in carbene complexes
B. Fuß, B. Weibert, H. Fischer 368

2-(3-Ferrocenylpyrazol-1-yl)cyclohexanol: a new building block for ferrocenyl ligands
H. Glas, A.-K. Pleier, E. Herdtweck, W.R. Thiel 376

Author Index of Volume 684 381
Subject Index of Volume 684 383
Contents of Volume 684 389